

**Jacto SP** Superior Performance



# Jacto SP Superior Performance

## Lighter and More Comfortable!



**Model Capacity Weight**

SP416 4 gallons 7.9 lbs

SP312 3 gallons 7.7 lbs




Easy to see fluid level with scale in Gallons and Liters.



One year limited warranty  
Approved according to ISO Standard 19932

Jacto Incorporated, 9650 SW Herman Rd.  
Tualatin OR 97062, 1-800-522-8610  
[www.jacto.com](http://www.jacto.com)

Jacto reserves the right to change its products without prior notice. Reading this leaflet does not exempt the operator from carefully reading the operator's manual. 930001463



# No Sprayer Delivers More

## Jacto CD400 Internal Pump Backpack Sprayer

### Internal Piston Pump

Long-life, chemical-resistant Viton® seals. Operates with minimal effort. Safety valve prevents overloading.

### Easy Operating Pumping Lever

Can be mounted for left or right hand operation on HD400 and CD400. Requires *half* the pumping effort of the nearest competitor.

### Handle Lock And Lance Retaining Clips

### Padded Shoulder Straps

Comfortable and easy to adjust.

### Rugged Base

Sits on the ground without tipping for easy filling and storage.

### 3 Different Nozzles Included

Nozzle cap is compatible with any standard nozzle attachment.

### Carrying Handle

For easy transportation.

### Wide Filling Opening

Fast-fill opening and quick-fill basket strainer. Cap has one-way breather valve.

### 4-Gallon Ergonomically Curved Tank

UV resistant, high density polyethylene. Fill level in gallons and liters.

### Built-In Agitator

Internal agitator constantly mixes solution.

### 4' 5" High Pressure Hose

Large diameter delivers plenty of solution.

### Free Field Repair Kit Included

### Heavy-Duty Trigger Valve

Lever also locks for constant spraying. Field Service Kit included.

### Professional Brass Spray Lance

20" long for optimum operating efficiency.

HD300 Heavy-Duty Sprayer  
With 3-Gallon Capacity

HD400 Heavy-Duty Sprayer  
With 4-Gallon Capacity

**Jacto**  
No Sprayer Delivers More

Built to withstand day-to-day abuse in the field. The first fully-internal pump backpack sprayer, the CD400 has been independently tested for 2,500 hours of use with no breakdowns. The HD Series tested for 1,500 hours with no breakdowns.

CD Series - Commercial Duty, HD Series - Heavy Duty

## Accessories



**Flow Calibrator Bottle P/N 646901**  
The easiest and fastest way to calibrate a backpack sprayer.



**Field Repair Kit**  
For quick and easy repair of you sprayer.  
Contents may vary from photo.



**Double Nozzle Tip P/N 336115**  
For high-volume spraying.



**6" Extension Tip w/ Dual Nozzles P/N 100016**  
For high-volume spraying.



**Flexible Boom P/N 907873**  
Holds the required shape for better coverage of row crops.



**Double Nozzle Boom P/N 902296**  
Mounted with two nozzles. Improves coverage while increasing productivity.



**Brass Spray Lance Extension P/N 728139**  
23" Longer reach for hard to get spots.



**Spray Hood Kit P/N 761882**  
Prevents drift and unwanted contact of non-selective herbicides.

P/N 908889



Plastic

P/N 727727



Brass w/Filter

P/N 942169



Brass/Plastic w/Filter

### Optional Trigger Valves

Choose from brass or plastic body or optional HD filter



**ECO Valve P/N 590513**  
Constant pressure/anti-drip valve reduces chemical usage

### Optional Spray Lances



Brass Valve/Brass Lance  
P/N 942151



Brass Valve/Brass Lance  
P/N 978601



Plastic Valve/Plastic Lance  
P/N 978627

See Owner's Manual For Additional Accessories

## Specifications

	HD300	HD400	CD400
Net Weight	7.7 lbs.	7.8 lbs.	10.5 lbs.
Tank Capacity	3 gal.	4 gal.	4 gal.
Dimensions	W 15 <sup>3</sup> / <sub>4</sub> x D 6 <sup>3</sup> / <sub>4</sub> x H 22 <sup>1</sup> / <sub>2</sub>	W 15 <sup>1</sup> / <sub>2</sub> x D 7 <sup>1</sup> / <sub>2</sub> x H 23	W 14 <sup>1</sup> / <sub>2</sub> x D 6 <sup>3</sup> / <sub>4</sub> x H 22 <sup>1</sup> / <sub>4</sub>
Installed Nozzle	JD12P Cone	JD12P Cone	JD12P Cone
Flow Rate	.162 gpm	.162 gpm	.162 gpm
Pump Type	Piston	Piston	Piston
Working Pressure	15 - 65 psi	15 - 65 psi	15 - 65 psi